

NAME OF VEHICLE:
VSA SPECIFICATION NUMBER:
AWARDED DEALERSHIP:

CHEVROLET SILVERADO 5500 CREW CAB
206
RK CHEVROLET

Option Code	Option Description	MSRP	VSA Discount Provided	Discounted Price
GVWR				
GZX	GVWR, 17,500 lb. (7938 kg) (Silverado 5500 HD 2WD Crew Cab models require one of the following combinations: (1) (FTA) 7k front axle and (FK6) 7k front suspension and (GL4) 11k rear axle and (GR3) 11k rear suspension or (G40) 12k Rear air suspension. (2) (FTA) 7k front axle and (FK6) 7k front suspension and (HD2) 13.5k rear axle and one of the following rear suspensions: (GR4) 13.5k rear suspension, (G40) 12k Rear air suspension or (GP1) 13.5k Rear air suspension. (3) (FTA) 7k front axle and (FK6) 7k front suspension and (HD1) 15k rear axle or (J27) 15.5k rear axle and one of the following rear suspensions: (GR4) 13.5k rear suspension, (FU7) 15.5k rear suspension, (GP1) 13.5K rear air suspension or (GP8) 15.5k rear air suspension.)	\$1,100.00	6%	\$1,034.00
GZJ	GVWR, 18,000 lb. (8165 kg) (Silverado 5500 HD 2WD Crew Cab models require one of the following combinations: (1) (FTA) 7k front axle and (FK6) 7k front suspension and (GL4) 11k rear axle and (GR3) 11k rear suspension or (G40) 12k Rear air suspension. (2) (FTA) 7k front axle and (FK6) 7k front suspension and (HD2) 13.5k rear axle and one of the following rear suspensions: (GR4) 13.5k rear suspension, (G40) 12k Rear air suspension or (GP1) 13.5k Rear air suspension. (3) (FTA) 7k front axle and (FK6) 7k front suspension and (HD1) 15k rear axle or (J27) 15.5k rear axle and one of the following rear suspensions: (GR4) 13.5k rear suspension, (FU7) 15.5k rear suspension, (GP1) 13.5K rear air suspension or (GP8) 15.5k rear air suspension.)	\$1,100.00	6%	\$1,034.00
GZG	GVWR, 19,500 lb. (8845 kg) (Silverado 5500 HD 2WD Crew Cab models require one of the following combinations: (1) (FTA) 7k front axle and (FK6) 7k front suspension and (HD2) 13.5k rear axle and (GR4) 13.5k rear suspension or (GP1) 13.5k Rear air suspension. (2) (FTA) 7k front axle and (FK6) 7k front suspension and (HD1) 15k rear axle or (J27) 15.5k rear axle and one of the following rear suspensions: (GR4) 13.5k rear suspension, (FU7) 15.5k rear suspension, (GP1) 13.5K rear air suspension or (GP8) 15.5k rear air suspension. (3) (FTL) 8k front axle and (FSN) 8k front suspension and (HD2) 13.5k rear axle and one of the following rear suspensions: (GR4) 13.5k rear suspension, (G40) 12k rear air suspension or (GP1) 13.5k Rear air suspension. (4) (FTL) 8k front axle and (FSN) 8k front suspension and (HD1) 15k rear axle or (J27) 15.5k rear axle and one of the following rear suspensions: (GR4) 13.5k rear suspension, (FU7) 15.5k rear suspension, (GP1) 13.5K rear air suspension or (GP8) 15.5k rear air suspension.)	\$2,255.00	6%	\$2,119.70
GZH	GVWR, 21,500 lb. (9752 kg)			

	(Silverado 6500 HD 2WD models require one of the following combinations: (1) (FTA) 7k front axle and (FK6) 7k front suspension and (HD1) 15k rear axle or (J27) 15.5k rear axle and (FU7) 15.5k rear suspension or (GP8) 15.5k rear air suspension. (2) (FTL) 8k front axle and (FSN) 8k front suspension and (HD2) 13.5k rear axle and (GR4) 13.5k rear suspension or (GP1) 13.5k Rear air suspension. (3) (FTL) 8k front axle and (FSN) 8k front suspension and (HD1) 15k rear axle or (J27) 15.5k rear axle and one of the following rear suspensions: (GR4) 13.5k rear suspension, (FU7) 15.5k rear suspension, (GP1) 13.5K rear air suspension or (GP8) 15.5k rear air suspension.)	\$4,300.00		
			6%	\$4,042.00
C9U	GVWR, 22,940 lb. (10,405 kg) (Silverado 6500 HD 2WD models require the following combination: (FTL) 8k front axle and (FSN) 8k front suspension and (HD1) 15k rear axle or (J27) 15.5k rear axle and (FU7) 15.5k rear suspension or (GP8) 15.5k rear air suspension.)	\$5,850.00		
			6%	\$5,499.00
DD7	GVWR, 23,500 lb. (10,659 kg) (Silverado 6500 HD 2WD models require (XDV)/(YAP) Front/Rear tires and the following combination: (FTL) 8k front axle and (FSN) 8k front suspension and (J27) 15.5k rear axle and (FU7) 15.5k rear suspension or (GP8) 15.5k rear air suspension.)	\$6,450.00		
			6%	\$6,063.00
REQUIRED OPTION				
ENGINE				
POWER TAKE OFF				
PTO	Power Take Off, engine control provisions Access is available on left-hand and right-hand side	\$275.00		
			6%	\$258.50
TRANSMISSION				
MJO	Highway Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1750HS ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.61 6TH Highway Series, 19.5K GVW & 37K GCW Max., requires PTX and park pawl. Available with GVWs less than or equal to 19.5K(Requires (C7Y) 14,001 lb. GVWR, (C5B) 15,000 lb. GVWR, (C7P) 16,000 lb. GVWR, (C7R) 16,500 lb. GVWR, (GZX) 17,500 lb. GVWR, (GZJ) 18,000 lb. GVWR or (GZG) 19,500 lb. GVWR. Requires (R6I) 30,000 lb. GCWR (13,607 kg), (R6W) 34,000 lb. GCWR (15,422 kg), (R6X) 35,000 lb. GCWR (15,875 kg) or (R6Y) 37,000 lb. GCWR (16,782 kg). Requires (R6I) 30,000 lb. GCWR when ordered with (066) 4.10 rear axle ratio.)	\$550.00		
			6%	\$517.00
MWB	Highway Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A2700HS ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.61 6TH Highway Series, 26K GVW & 26K GCW Max., requires PTX and park pawl. Available with GVWs greater than 19.5K(Requires (GZH) 21,500 lb. GVWR, (C9U) 22,940 lb. GVWR or (DD7) 23,500 lb. GVWR. Requires (R6G) 26,000 lb. GCWR (11,793 kg).)	\$985.00		
			6%	\$925.90
MBX	Highway Service Transmission Automatic close-ratio 6 SPD with double overdrive, Allison, A2750HS ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.61 6TH Highway Series, 26K GVW & 37K GCW Max., requires PTX, includes park pawl. Available with GVWs greater than 19.5K(Requires (GZH) 21,500 lb. GVWR, (C9U) 22,940 lb. GVWR or (DD7) 23,500 lb. GVWR and (PTX) Power Take-Off (PTO), not installed and (R6I) 30,000 lb. GCWR (13,607 kg), (R6W) 34,000 lb. GCWR (15,422 kg), (R6X) 35,000 lb. GCWR (15,875 kg) or (R6Y) 37,000 lb. GCWR (16,782 kg).)	\$1,435.00		
			6%	\$1,348.90
MIU	Rugged Duty Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1750RDS			

	ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.61 6TH Rugged Duty Series,19.5K GVW & 26K GCW Max., requires PTO and park pawl, On/Off Highway. Available with GVWs less than or equal to 19.5K(Requires (C7Y) 14,001 lb. GVWR, (C5B) 15,000 lb. GVWR, (C7P) 16,000 lb. GVWR, (C7R) 16,500 lb. GVWR, (GZX) 17,500 lb. GVWR, (GZJ) 18,000 lb. GVWR or (GZG) 19,500 lb. GVWR. Requires (R6G) 26,000 lb. GCWR (11,793 kg).)	\$290.00		
			6%	\$272.60
MIO	Rugged Duty Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1750RDS ratios 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.61 Rugged Duty Series,19.5K GVW & 37K GCW Max., requires PTO and park pawl, On/Off Highway. Available with GVWs less than or equal to 19.5K(Requires (C7Y) 14,001 lb. GVWR, (C5B) 15,000 lb. GVWR, (C7P) 16,000 lb. GVWR, (C7R) 16,500 lb. GVWR, (GZX) 17,500 lb. GVWR, (GZJ) 18,000 lb. GVWR or (GZG) 19,500 lb. GVWR. Requires (R6I) 30,000 lb. GCWR (13,607 kg), (R6W) 34,000 lb. GCWR (15,422 kg), (R6X) 35,000 lb. GCWR (15,875 kg) or (R6Y) 37,000 lb. GCWR (16,782 kg). Requires (R6I) 30,000 lb. GCWR when ordered with (066) 4.10 rear axle ratio.)	\$740.00		
			6%	\$695.60
MIA	Rugged Duty Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A2700RDS ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.61 6TH Rugged Duty Series,26K GVW & 26K GCW Max., requires PTO and park pawl, On/Off Highway. Available with GVWs greater than 19.5K(Requires (GZH) 21,500 lb. GVWR, (C9U) 22,940 lb. GVWR or (DD7) 23,500 lb. GVWR. Requires (R6G) 26,000 lb. GCWR (11,793 kg).)	\$1,135.00		
			6%	\$1,066.90
MBV	Rugged Duty Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A2750RDS ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.61 6TH Rugged Duty Series,26K GVW & 37K GCW Max., requires PTO,includes park pawl,On/Off Highway. Available with GVWs greater than 19.5K(Requires (GZH) 21,500 lb. GVWR, (C9U) 22,940 lb. GVWR or (DD7) 23,500 lb. GVWR and (PTO) Power Take Off, engine control provisions and (R6I) 30,000 lb. GCWR (13,607 kg), (R6W) 34,000 lb. GCWR (15,422 kg), (R6X) 35,000 lb. GCWR (15,875 kg) or (R6Y) 37,000 lb. GCWR (16,782 kg).)	\$1,585.00		
			6%	\$1,489.90
MH1	Emergency Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1700EVS ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.61 6TH Emergency Vehicle Series,19.5K GVW & 26K GCW Max., requires PTO and park pawl. Available with GVWs less than or equal to 19.5K(Requires (C7Y) 14,001 lb. GVWR, (C5B) 15,000 lb. GVWR, (C7P) 16,000 lb. GVWR, (C7R) 16,500 lb. GVWR, (GZX) 17,500 lb. GVWR, (GZJ) 18,000 lb. GVWR or (GZG) 19,500 lb. GVWR. Requires (YF2) Emergency Service Package and (R6G) 26,000 lb. GCWR (11,793 kg).)	\$530.00		
			6%	\$498.20
MHV	Emergency Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1750EVS			

	ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.61 6TH Emergency Vehicle Series,19.5K GVW & 37K GCW Max., requires PTO and park pawl. Available with GVWs less than or equal to 19.5K(Requires (C7Y) 14,001 lb. GVWR, (C5B) 15,000 lb. GVWR, (C7P) 16,000 lb. GVWR, (C7R) 16,500 lb. GVWR, (GZX) 17,500 lb. GVWR, (GZJ) 18,000 lb. GVWR or (GZG) 19,500 lb. GVWR. Requires (YF2) Emergency Service Package and (R6I) 30,000 lb. GCWR (13,607 kg), (R6W) 34,000 lb. GCWR (15,422 kg), (R6X) 35,000 lb. GCWR (15,875 kg) or (R6Y) 37,000 lb. GCWR (16,782 kg). Requires (R6I) 30,000 lb. GCWR when ordered with (066) 4.10 rear axle ratio.)	\$1,000.00		
			6%	\$940.00
MGO	Emergency Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A2700EVS ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.61 6TH, Emergency Vehicle Series,26K GVW & 26K GCW Max., requires PTO and park pawl. Available with GVWs greater than 19.5K(Requires (GZH) 21,500 lb. GVWR, (C9U) 22,940 lb. GVWR or (DD7) 23,500 lb. GVWR. Requires (YF2) Emergency Service Package and (R6G) 26,000 lb. GCWR (11,793 kg).)	\$1,395.00		
			6%	\$1,311.30
MBY	Emergency Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A2750EVS ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.61 6TH Emergency Vehicle Series,26K GVW & 37K GCW Max.Close-ratio with double overdrive.Requires PTO and includes park pawl.Available with GVWs greater than 19.5K(Requires (GZH) 21,500 lb. GVWR, (C9U) 22,940 lb. GVWR or (DD7) 23,500 lb. GVWR and (YF2) Emergency Service Package and (PTO) Power Take Off, engine control provisions and (R6I) 30,000 lb. GCWR (13,607 kg), (R6W) 34,000 lb. GCWR (15,422 kg), (R6X) 35,000 lb. GCWR (15,875 kg) or (R6Y) 37,000 lb. GCWR (16,782 kg).)	\$1,845.00		
			6%	\$1,734.30
MEO	Motor Home Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1750MH ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.61 6TH Motorhome Series,22K GVW & 37K GCW Max., requires PTO and park pawl. Available with GVWs less than or equal to 22K(Requires (C7Y) 14,001 lb. GVWR, (C5B) 15,000 lb. GVWR, (C7P) 16,000 lb. GVWR, (C7R) 16,500 lb. GVWR, (GZX) 17,500 lb. GVWR, (GZJ) 18,000 lb. GVWR, (GZG) 19,500 lb. GVWR or (GZH) 21,500 lb. GVWR. Requires (PCH) Motorhome Package and (R6I) 30,000 lb. GCWR (13,607 kg), (R6W) 34,000 lb. GCWR (15,422 kg), (R6X) 35,000 lb. GCWR (15,875 kg) or (R6Y) 37,000 lb. GCWR (16,782 kg). Requires (R6I) 30,000 lb. GCWR when ordered with (066) 4.10 rear axle ratio.)	\$1,820.00		
			6%	\$1,710.80
MIX	Motor Home Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1700MH ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.61 6TH Motorhome Series,22K GVW & 26,001 GCW Max., requires PTO and park pawl. Available with GVWs less than or equal to 22K(Requires (C7Y) 14,001 lb. GVWR, (C5B) 15,000 lb. GVWR, (C7P) 16,000 lb. GVWR, (C7R) 16,500 lb. GVWR, (GZX) 17,500 lb. GVWR, (GZJ) 18,000 lb. GVWR, (GZG) 19,500 lb. GVWR or (GZH) 21,500 lb. GVWR. Requires (PCH) Motorhome Package and (R6G) 26,000 lb. GCWR (11,793 kg).)	\$1,350.00		
			6%	\$1,269.00
MFO	Motor Home Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A2700MH			

	ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.61 6TH Motorhome Series,26K GVW & 26,001K GCW Max., requires PTO and park pawl. Available with GVWs greater than 22K(Requires (C9U) 22,940 lb. GVWR or (DD7) 23,500 lb. GVWR and (PCH) Motorhome Package and (PTO) Power Take Off, engine control provisions and (R6G) 26,000 lb. GCWR (11,793 kg).)	\$2,215.00		
			6%	\$2,082.10
MBW	Motor Home Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A2750MH ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.61 6TH Motorhome Series,26K GVW & 37K GCW Max.Close-ratio with double overdrive.Requires PTO and includes park pawl.Available with GVWs greater than 22k(Requires (C9U) 22,940 lb. GVWR (10,405 kg) or (DD7) 23,500 lb. GVWR and (PCH) Motorhome Package and (PTO) Power Take Off, engine control provisions and (R6I) 30,000 lb. GCWR (13,607 kg), (R6W) 34,000 lb. GCWR (15,422 kg), (R6X) 35,000 lb. GCWR (15,875 kg) or (R6Y) 37,000 lb. GCWR (16,782 kg).)	\$2,665.00		
			6%	\$2,505.10
MA6	Non-Conforming School Bus / Shuttle Bus Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1700PTS ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.61 6TH,26,001 GCW Max., requires PTX and park pawl. Available with GVWs less than or equal to 19.5K(Requires (C7Y) 14,001 lb. GVWR, (C5B) 15,000 lb. GVWR, (C7P) 16,000 lb. GVWR, (C7R) 16,500 lb. GVWR, (GZX) 17,500 lb. GVWR, (GZJ) 18,000 lb. GVWR or (GZG) 19,500 lb. GVWR. Requires (ANK) Non-Conforming School Bus Package or (ANC) Shuttle Bus Package and (R6G) 26,000 lb. GCWR (11,793 kg).)	\$400.00		
			6%	\$376.00
MB6	Non-Conforming School Bus / Shuttle Bus Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A2700PTS ratios: 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.61 6TH,26,001K GCW Max., requires (PTX) and park pawl. Available with GVWs greater than 19.5K(Requires (GZH) 21,500 lb. GVWR, (C9U) 22,940 lb. GVWR or (DD7) 23,500 lb. GVWR and (R6G) 26,000 lb. GCWR (11,793 kg). Requires (ANK) Non-Conforming School Bus Package or (ANC) Shuttle Bus Package.)	\$1,385.00		
			6%	\$1,301.90
AXLE				
FRONT AXLE				
FTL	Front axle, 8,000 lb., Dana/Spicer D800-N, "I"-beam, non-driving	\$500.00		
			6%	\$470.00
FRONT SUSPENSION				
FSN	Front suspension, 8,000 lb. (3,629 kg) multi-leaf, includes shock absorbers	\$100.00		
			6%	\$94.00
REAR AXLE				
HD2	Rear axle, 13,500 lb. (6,124 kg) Dana Spicer S14-110, single reduction	\$355.00		
			6%	\$333.70
HD1	Rear axle, 15,000 lb. (6,804 kg) Dana Spicer S16-130, single reduction	\$675.00		
			6%	\$634.50
J27	Rear axle, 15,500 lb. (7,031 kg), Dana Spicer S16-130, single reduction (Note: 15,500 lb. rear axle capacity can be reduced by rear tire capacity or rear suspension. Maximum axle capacity will not be higher than the rear tire or rear suspension capacity selected for vehicle.)	\$775.00		
			6%	\$728.50
REAR SUSPENSION				
GR4	Rear suspension, 13,500 lb. (6,123 kg) multi-leaf, vari-rate (Not available with air suspension or (GL4) 11,000 lb. (4,999 kg) rear axle.)	\$25.00		
			6%	\$23.50

FU7	Rear suspension, 15,500 lb. (7,031 kg) multi-leaf, vari-rate (Not available with air suspension.)	\$50.00	6%	\$47.00
G40	Rear suspension - Air, 12,000 lb. (5,443 kg), 5.3" ride height with shock absorbers (Requires (KUT) Air Compressor Accessory Drive and (JPZ) Suspension air control valve.)	\$200.00	6%	\$188.00
GP1	Rear suspension - Air, 13,500 lb. (6,123 kg), 5.3" ride height with shock absorbers (Requires (KUT) Air Compressor Accessory Drive and (JPZ) Suspension air control valve.)	\$475.00	6%	\$446.50
GP8	Rear suspension - Air, 15,500 lb. (7,031 kg), 5.3" ride height with shock absorbers (Requires (KUT) Air Compressor Accessory Drive and (JPZ) Suspension air control valve.)	\$775.00	6%	\$728.50
WHEELBASE				
EM1	Wheelbase, 199" (505.5 cm), 84" CA (Requires (F0C) 49" axle to end of frame or (F0D) 63" axle to end of frame.)	\$180.00	6%	\$169.20
FRP	Wheelbase, 235" (596.9 cm), 120" CA (Requires (F0I) 75" axle to end of frame.)	\$360.00	6%	\$338.40
PREFERRED EQUIPMENT GROUP				
WHEEL TYPE				
PWR	Wheels, 19.5" x 6.75", steel, Grey painted, 8-holes, hub piloted	\$80.00	6%	
PWS	Wheels, 19.5" x 6.75", steel, White painted, 8-holes, hub piloted	\$80.00	6%	\$75.20
PWV	Wheels, 19.5" x 6.75", aluminum, 8-holes, hub piloted Dura-Bright finish is on the outside of the wheel	\$1,050.00	6%	\$987.00
FRONT TIRES				
XDL	Tires, front 225/70R19.5G highway blackwall Continental Max Axle Load: 7,940 lb.(Requires (YAM) Tires, rear 225/70R19.5G highway blackwall Continental, Max Axle Load: 15,000 lb. or (YHD) Tires, rear 225/70R19.5 G Traction Blackwall Continental, Max Axle Load: 15,000 lb.)	\$100.00	6%	\$94.00
XHD	Tires, front 225/70R19.5 G Traction Blackwall Continental Max Axle Load: 7,940 lb.(Requires (YHD) rear 225/70R19.5 G Traction Blackwall Continental tires.)	\$190.00	6%	\$178.60
XMF	Tires, front 225/70R19.5G traction blackwall Goodyear Max Axle Load: 7,940 lb.(Requires (YMF) rear 225/70R19.5G traction blackwall Goodyear tires.)	\$300.00	6%	\$282.00
XDV	Tires, front 225/70R19.5 H 130/128 L BW HWY Continental Max Axle Load: 8,000 lb.(Requires (YAP) 225/70R19.5 H 130/128 L BW HWY Continental rear tires.)	\$130.00	6%	\$122.20
REAR TIRES				
YAM	Tires, rear 225/70R19.5G highway blackwall Continental Max Axle Load: 15,000 lb.	\$200.00	6%	\$188.00
YHD	Tires, rear 225/70R19.5 G Traction Blackwall Continental Max Axle Load: 15,000 lb.	\$380.00	6%	\$357.20
YMF	Tires, rear 225/70R19.5G traction blackwall Goodyear Max Axle Load: 15,000 lb.	\$595.00	6%	\$559.30
YAP	Tires, rear 225/70R19.5 H 130/128 L BW HWY Continental Max Axle Load: 15,500 lb.(Requires (XDV) 225/70R19.5 H 130/128 L BW HWY Continental front tires.)	\$260.00	6%	\$244.40
SPARE TIRE				
ZBK	Tire, Spare 225/70R19.5G highway blackwall Goodyear			\$0.00
				\$0.00

	(Requires (XDK) 225/70R19.5G Goodyear highway blackwall front tires or (YAL) 225/70R19.5G Goodyear highway blackwall rear tires.Includes (V33) Rim Wrench and handle only tool kit.)	\$425.00		
ZBR	Tire, Spare 225/70R19.5G highway blackwall Continental (Requires (XDL) 225/70R19.5G Continental highway blackwall front tires or (YAM) 225/70R19.5G Continental highway blackwall rear tires.Includes (V33) Rim Wrench and handle only tool kit.)	\$400.00	6%	\$399.50
ZHD	Tire, Spare 225/70R19.5 G traction blackwall Continental (Requires (XHD) front 225/70R19.5 G Traction Blackwall Continental tires or (YHD) rear 225/70R19.5 G Traction Blackwall Continental tires.Includes (V33) Rim Wrench and handle only tool kit.)	\$400.00	6%	\$376.00
ZMF	Tire, Spare 225/70R19.5G traction blackwall Goodyear (Requires (YMF) 225/70R19.5G Goodyear traction blackwall front tires or (YAM) 225/70R19.5G Continental highway blackwall rear tires.Includes (V33) Rim Wrench and handle only tool kit.)	\$425.00	6%	\$399.50
ZBC	Tire, Spare 225/70R19.5 H 130/128 L BW HWY Continental (Requires (XDV) 225/70R19.5 H 130/128 L BW HWY Continental front tires or (YAP) 225/70R19.5 H 130/128 L BW HWY Continental rear tires.Includes (V33) Rim Wrench and handle only tool kit.)	\$415.00	6%	\$390.10
PAINT SCHEME				
PAINT				
G1K	Deep Ocean Blue Metallic (Additional charge - premium paint.)	\$395.00	6%	\$371.30
SEAT TYPE				
A52	Seats, front 40/20/40 split-bench, cloth 3-passenger. Includes driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Also includes manually adjustable driver lumbar and storage pockets.(Requires (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment.Includes (AG1) 10-way power seat.)	\$400.00	6%	\$376.00
SEAT TRIM				
RADIO				
IOB	Audio system, 7" diagonal color touch-screen with Chevrolet Infotainment AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones.(Not available with (TG5) Single slot CD/MP3 player.)	\$275.00	6%	\$258.50
ADDITIONAL EQUIPMENT - PACKAGE				
YF2	Emergency Service Package includes (KHB) dual alternators, (UZF) backup alarm and (5DY) end of cab wiring provisions(Requires (FPF) DPF, diesel particulate filter, manual regeneration and Emergency Service transmission, (MBY), (MH1), (MHV) or (MG0). Not available with (9D4) Governor, electronic speed sensor set to 55 MPH, SEO. Requires (G86) limited slip rear axle.)	\$745.00	6%	\$700.30
VYU	Snow Plow Prep Package includes (UNL) auxiliary harness for headlamps and turn signals, (KW5) 220-amp alternator, forward lamp wiring harness and (TRW) provision for cab roof mounted lamp/beacon(Note: (KW5) 220-amp alternator can be upgraded to (KHB) dual, 150 amps and 220 amps each alternators.)	\$340.00	6%	\$319.60
ADDITIONAL EQUIPMENT - MECHANICAL				
UF3	High idle switch (Not available with (PTO) Power Take-off. Requires (PTX) Power Take-Off (PTO), not installed.)	\$200.00	6%	\$188.00

K05	Engine block heater	\$90.00		
G80	Differential, heavy-duty locking rear (Requires (J27) 15,500 lb. rear axle. With (ED9) 165" Wheelbase, requires (PCJ) Vocational Specific Heavy Suspension Package or (9C2) 65 MPH road speed governor. Not available with (G40), (GP1) or (GP8) rear air suspensions when ordered with (ED9) 165" wheelbase. Not available with (G86) limited slip rear axle. Not available with (YF2) Emergency Service Package.)	\$1,350.00	6%	\$84.60
G86	Axle, limited slip, Dana Spicer Truetrac, torque proportioning limited slip	\$350.00	6%	\$1,269.00
KBG	Transmission shift control calibration, FuelSense 2.0 (Not available with (KBK) transmission shift control calibration.)	\$475.00	6%	\$329.00
KUD	Heater hose clamps, (Breeze) Belleville washer type	\$30.00	6%	\$446.50
KT0	Heater hose, silicone (Requires (KUD) Heater hose clamps, (Breeze) Belleville washer type.)	\$100.00	6%	\$28.20
7Y8	Batteries, heavy-duty dual 1300 cold-cranking amps includes battery box mounted to left side under cab	\$85.00	6%	\$94.00
7Y9	Batteries, heavy-duty triple 2250 cold-cranking amps temporarily mounted behind cab, no battery box included(Not available with (NVK) front 25 gallon fuel tank or (NSQ) dual fuel tanks, front and rear, 65 gallon total with (FNV) 175" wheelbase.)	\$230.00	6%	\$79.90
BTN	Battery, top post threaded, battery jump start stud (located on battery box)(Requires (7Y7) 1100 cold-cranking amps batteries or (7Y8) 1300 cold-cranking amps batteries.)	\$50.00	6%	\$216.20
KW5	Alternator, 220 amps (Included with (VYU) Snow Plow Prep Package.)	\$150.00	6%	\$47.00
KHB	Alternators, dual, 150 amps and 220 amps each (Included with (YF2) Emergency Service Package.)	\$380.00	6%	\$141.00
UY7	Trailer provisions, trailering wire harness only, trailer combined (Stop/Tail/Turn) connection socket and harness mounted at rear of frame. (Requires (JL1) Trailer brake controller.)	\$30.00	6%	\$357.20
JL1	Trailer brake controller, integrated (Requires (UY7) Trailer provisions.)	\$275.00	6%	\$28.20
V76	Recovery hooks, front, frame-mounted, black (Not available with (T3A) front bumper with 4" extension.)	\$25.00	6%	\$258.50
F0D	Axle to End of Frame, 63" (Requires (EM1) 199" wheelbase.)	\$100.00	6%	\$23.50
F0I	Axle to End of Frame, 75" (Requires (FRP) 235" wheelbase.)	\$100.00	6%	\$94.00
F59	Front stabilizer bar	\$175.00	6%	\$94.00
G68	Shock Absorbers, rear (Not available with (G40) 12,000 lb., (GP1) 13,500 lb. or (GP8) 15,500 lb. rear air suspension.)	\$65.00	6%	\$164.50
JPZ	Suspension air control valve, air release valve with switch in cab (Requires (G40) 12,000 lb., (GP1) 13,500 lb. or (GP8) 15,500 lb. rear air suspension.)	\$60.00	6%	\$61.10
NVK	Fuel tank, front, 25 gallon	\$125.00	6%	\$56.40
NSQ	Fuel tank, front and rear, 65 gallon total	\$625.00	6%	\$117.50
FPF	DPF, diesel particulate filter, manual regeneration			\$587.50

	customer regeneration will not be allowed until the DPF load percentage has reached 100% full and a driver information center (DIC) message has been shown(Required with (YF2) Emergency Service Package.)	\$250.00		
			6%	\$235.00
8.00E+04	Additional fuel, 5 gallons	\$20.00	6%	
NXG	Additional fuel, 20 gallons (Not available with (NVK) front 25 gallon fuel tank.)	\$80.00	6%	\$18.80
NPJ	Exhaust system, left side exit ahead of rear wheels (Available on the following wheelbases: (EM1) 199" wheelbase, (FNV) 175" wheelbase or (FRP) 235" wheelbase. Not available with (NSQ) dual fuel tanks or (NVK) front 25 gallon fuel tank.)	\$145.00	6%	\$75.20
NPK	Exhaust system, right side exit ahead of rear wheels (Requires (EM1) 199" wheelbase, (FNV) 175" wheelbase or (FRP) 235" wheelbase.)	\$145.00	6%	\$136.30
V33	Tool kit, Rim Wrench and handle only (Included with (ZMF), (ZBC), (ZBK), (ZHD) and (ZBR) spare tires.)	\$40.00	6%	\$136.30
			6%	\$37.60
ADDITIONAL EQUIPMENT - EXTERIOR				
FF3	Oil seal for front hub, Chicago Rawhide Nitrile for oil lubricated wheel bearings	\$25.00	6%	
FG0	Oil filled front hubs, synthetic oil EmGard FE-75W-90 (Requires (FF3) Oil seal for front hub.)	\$30.00	6%	\$23.50
Q91	Tire valve cap, Haltec flow-thru (Not available with (Q92) Alligaro V2B flo-thru tire valve caps.)	\$30.00	6%	\$28.20
Q92	Tire valve cap, (Alligaro V2B) flo-thru (Not available with (Q91) Haltec flow-thru tire valve caps.)	\$30.00	6%	\$28.20
KUT	Air Compressor Accessory Drive (Required with all models equipped with Rear Air Suspension (G40/GP1/GP8). Available as free flow option on all models without Rear Air Suspension.)	\$350.00	6%	\$28.20
JPY	Air Dryer, heated (Requires (KUT) Air Compressor Accessory Drive.)	\$435.00	6%	\$329.00
PWZ	Wheel, 19.5" x 6.75", spare, aluminum, 8-holes temporary mounted on frame. Dura-Bright finish is on the outside of the wheel.(Required and only available with (PWV) 19.5" x 6.75", aluminum, 8-holes, hub piloted wheels when a spare tire is ordered.)	\$175.00	6%	\$408.90
V46	Bumper, front chrome	\$100.00	6%	\$164.50
5D1	Bumper, front, Gray	\$55.00	6%	\$94.00
T3A	Bumper, front with 4" extension (Not available with (V23) grille guard screen, stone protection or (V76) recovery hooks.)	\$50.00	6%	\$51.70
E0N	Assist Steps, aluminum	\$200.00	6%	\$47.00
FNP	Front fender extension, painted body color (Not available with (FNX) Black front fender extension.)	\$105.00	6%	\$200.00
V22	Grille, chrome	\$195.00	6%	\$188.00
V23	Grille guard screen, stone protection (mounted to bumper)(Not available with (T3A) front bumper with 4" extension.)	\$90.00	6%	\$98.70
UNL	Auxiliary harness, 3' for headlamps and turn signals (Included with (VYU) Snow Plow Prep Package.)	\$160.00	6%	\$183.30
WRD	Work light circuit provides additional wire for utility light at end of frame	\$30.00	6%	\$84.60
TRW	Provision for cab roof-mounted lamp/beacon		6%	\$150.40
			6%	\$28.20

	provides an overhead console mounted switch and electrical wiring tucked beneath the headliner for a body upfitter to connect a body-mounted warning or emergency lamp(Included with (VYU) Snow Plow Prep Package.)	\$30.00		
			6%	\$28.20
UGE	Lamps, rear, LED stop/turn and license plate, with incandescent backup lamps	\$240.00		
			6%	
T3U	Fog lamps, front, halogen	\$140.00		
			6%	\$225.60
JTR	Tail lamp wiring harness provisions			
	includes wiring for standard left and right taillamps, separate 8 feet of extra cable wiring for left and right body-mounted tail lights	\$50.00		
			6%	\$47.00
DPN	Mirrors, outside heated power-adjustable vertical trailing, upper glass, manual-folding and extending, black. Includes integrated turn signal indicators consisting of 51 square inch flat mirror surface positioned over a 24.5 square inch convex mirror surface with a common head and lower convex spotter glass (convex glass is not heated and not power adjustable) and addition of Auxiliary cargo lamp for backing up (helps to see trailer when backing up with a trailer) and amber auxiliary clearance lamp	\$355.00		
			6%	\$333.70
DP9	Mirror caps, chrome	\$50.00		
			6%	
AKO	Glass, deep-tinted	\$200.00		
			6%	\$47.00
VK3	License plate kit, front			
	(will be shipped with trucks with ship-to states that require front license plate)	\$15.00		
			6%	\$14.10
E20	Door handles, outside, chrome	\$40.00		
			6%	
5DX	Electrical Provisions, rear of cab, upfitter, body builder wiring			
	includes Sealed Connectors for Tail/Amber Turn/Marker/Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	\$115.00		
			6%	\$37.60
5DY	Electrical Provisions, rear of frame, upfitter, body builder wiring			
	includes Sealed Connectors for Tail/Amber Turn/Marker/Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn(Included with (YF2) Emergency Service Package. Not available with (5DX) Electrical Provisions to rear of cab.)	\$230.00		
			6%	\$108.10
ADDITIONAL EQUIPMENT - ENTERTAINMENT				
TG5	Single-slot CD/MP3 player (Requires (IO3) 4.2" diagonal color display, AM/FM stereo.)	\$50.00		
			6%	\$47.00
U2K	SiriusXM Radio enjoy an All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the SiriusXM app, online and at home on compatible connected devices is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM.(Requires (UE1) OnStar and (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment. IMPORTANT: The SiriusXM radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. See the SiriusXM Customer Agreement at www.siriusxm.com for complete terms and how to cancel. All fees, content, features, and availability are subject to change.)	\$200.00		
			6%	\$188.00
ADDITIONAL EQUIPMENT - INTERIOR				
379	Seat Belt, Orange			
				\$40.00

	(center seat belt will ship loose)	\$70.00	6%	\$37.60
3F9	Seat Belt, Front, Red (center seat belt will ship loose)	\$40.00	6%	\$37.60
5H1	Key system, 2 spare keys	\$45.00	6%	
AQQ	Remote Keyless Entry	\$175.00	6%	\$42.30
KI4	Power outlet, 110-volt AC	\$125.00	6%	\$164.50
C49	Defogger, rear-window electric	\$175.00	6%	\$117.50
ADDITIONAL EQUIPMENT - SAFETY-INTERIOR				\$164.50
UE1	OnStar and Chevrolet connected services capable (Requires (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment.Includes compass in instrument cluster.Terms and limitations apply. See onstar.com or dealer for details.)	\$175.00	6%	\$164.50
UZF	Backup alarm (Includes (SFW) SEO Calibration for backup alarm.Included with (YF2) Emergency Service Package.)	\$135.00	6%	\$126.90
UVC	Rear Vision Camera, display integrated into Radio (Shipped loose in cab for upfitter installation.)	\$200.00	6%	\$188.00
U05	Horn, dual-note	\$35.00	6%	
ADDITIONAL EQUIPMENT - LPO				\$32.90
RDI	LPO, Keyless Entry Keypad, 5-digit programmable keypad located near outside driver's door handle (dealer-installed)(Requires (AQQ) Remote Keyless Entry.)	\$175.00	6%	\$164.50
VBJ	LPO, Rear underseat storage, composite storage bin Crew Cab includes lockable lid,(dealer-installed)	\$265.00	6%	\$249.10
ADDITIONAL EQUIPMENT - OTHER				
SHIP THRU CODES				
SPECIAL EQUIPMENT OPTIONS				
VND	Governor, electronic speed sensor set to 50 MPH	\$75.00	6%	
9D4	Governor, electronic speed sensor set to 55 MPH	\$75.00	6%	\$70.50
LVA	Governor, electronic speed sensor set to 60 MPH	\$75.00	6%	\$70.50
9C2	Governor, electronic speed sensor set to 65 MPH (Not available with rear axle ratio (008) 4.88 ratio.)	\$75.00	6%	\$70.50
9B9	Governor, electronic speed sensor set to 70 MPH (Not available with rear axle ratio (005) 4.56 ratio. Not available with (FQT) 141" Wheelbase.)	\$75.00	6%	\$70.50
9D7	Governor, electronic speed sensor set to 75 MPH (Not available with rear axle ratios, (092) 4.30 ratio or (008) 4.88 ratio. Not available with (FQT) 141" Wheelbase.)	\$75.00	6%	\$70.50
9D6	Governor, electronic speed sensor set to 79 MPH (Not available with rear axle ratios, (066) 4.10 ratio, (005) 4.56 ratio or (008) 4.88 ratio. Not available with (FQT) 141" Wheelbase.)	\$75.00	6%	\$70.50
TGK	Special Paint, Solid, one color All normally body colored non-sheet metal parts will be Black. May require extended lead time.	\$450.00	6%	\$423.00
SFW	Back-up alarm calibration This calibration will allow installation of an aftermarket back-up alarm by disabling rear perimeter lighting	\$50.00	6%	\$47.00
8X8	Label, fasten seat belts "Fasten Seat Belts" reminder label on right hand and left hand front side door glass	\$4.00	6%	\$3.76
UEH	Provisions for electrical switch bank			

	consists of (6) two position, latching, rocker style switch modules with an on/off indicator window. The application of each switch will be defined by the customer/up fitter. Located on Headliner.(Requires (KW5) 220 Amp Alternator or (KHB) 150 amp/220 amp dual alternators.)	\$675.00
6.00E+02	Key, single All keys are coded alike(Requires a Fleet or Government order type.)	\$25.00

6% \$634.50

6% \$23.50